

VSI Roadmap 2022

LCD



Our Reach

Headquarters

Brea, California, USA

VSIN HQ
New Delhi

R&D Center
Taipei, Taiwan

- Founded in 1987
- More than 1,000 employees globally
- Offices in more than 100 cities worldwide
- Products sold in over 100 countries


Vision

Inspire the world to see the difference between the ordinary and the extraordinary by providing innovative visual solutions for work, play, and learning.



Mission

Evolve from a device company to a visual solution company by listening to our customers and creating products, services, and sustainable ecosystems that enhance visual engagement for the betterment of our customers.



Core Values

Customer Focus

We serve the needs of our customers by actively listening to their challenges and delivering solutions to solve their problems.

Growth Mindset

We seek continuous improvement by setting challenging goals, embracing feedback and realizing it is from failure that we learn the most.

Teamwork

We embrace the diversity of opinions to foster collaboration and drive innovation.

Agility

We adapt to the changing needs of our customers faster than our competitors do.

Integrity

We act in the best interests of our customers, employees and shareholders by being inclusive, open, honest and transparent.

Corporate Citizenship

We contribute to the communities we serve by lowering our environmental footprint, being economically prosperous and leveraging our technologies as a force for good.



Our Journey



1993 Company renamed

1987

Keypoint Technology Corp. was founded in California, US

1990

Launched ViewSonic monitors

1999

Launched DLP projectors

2005

Introduced digital signages

2017

Launched Large Format Display, including ViewBoard and commercial displays

2018

Launched myViewBoard platform

2020

Launched All-in-One Direct View LED Displays

Monitors

2000 #1 market share for monitors in Canada, Argentina, Chile, Russia, Egypt, New Zealand and Taiwan

2001 Introduced the **world's largest monitor**, a 50" plasma display

2003 **World's first** wide format 24" LCD monitor

2006 Launched monitor with **world's fastest 1ms response time** at CES

2008 Debuted the **world's first** 120HZ 3D 22" widescreen display, and 24" widescreen Full HD TV

2011 Completed an entirely **green upgrade** from CCFL-backlit to LED-backlit displays

2017 Launched **VG Series of Monitors** for corporate segment

Introduced **Elite** professional gaming monitors

2018 Introduced **ColorPro** professional monitors

2020 Launched TD1655 **portable monitor**

Partnered with TÜV SÜD to develop the testing of a **color blindness feature** in monitors

Projectors

2007 At CES, introduced an HDTV set and **world's first iPod docking projector**

2009 Leading brand to **implement 3D** into projector product line.

2014 **US No. 1 Full HD** projector

2018 Introduced the **first patented LED projector with Harman Kardon speakers**

2020 Market share **2X increased – the fastest growth** in projector market

Became **global No.2 LED projector brand**

ViewBoard

2018 Launched ViewBoard IFP60 series interactive display with **enterprise-grade security**

ViewBoard ranked **No. 3 market share** in North America

2019 **No.3 global market share** of interactive displays

2020 **No. 1 market share** in North American channel (NPD)

2021 **No. 1 market share** in the worldwide (exclude China) (FutureSource)

myViewBoard

2019 ViewSonic became **Google for Education partner**

Became **Intel MRS** certified

Developed myViewBoard ecosystem

2020 Launched **myViewBoard Classroom**

2021 By aunched **myViewBoard Classroom**

By Dec, more than **2,000,000 subscribers** registered

A Tradition of Partnerships

Technology	Distributors	Resellers	Consumers	ProAV
                     	     	       	       	       

Monitors



**Touch
Monitors**



**Corporate
Solutions**



**ColorPro
Professional
Monitors**



**ELITE
Gaming
Monitors**

Corporate Solutions

One-cable Solution



USB-C Docking

Video Conferencing



Webcam-embedded

Multi-tasking



21:9 Wide Screen


Mobile Work



Portable Displays

Building a hybrid workplace in the post-Covid era

ColorPro Ecosystem



Gaming Ecosystem

ViewSonic® | ELITE




Hardware

- Minimalist, industrial design
- Exclusively designed for gamers


Software

- ELITE Display controller
- On-screen display



Alliance

- Partnerships
- RGB integration
- Influencers




Events

- **Global** – Tradeshow
- **US** – LANFest
- **EU** – Speed running events
- **AP** – Tournaments

LCD Segment by Series



VA Mainstream



VX Stylish



VA1655

Panel	SuperClear® VA
Resolution	FHD 1920 x 1080
Response time	5ms
Brightness	250nits
Viewing angle	178/178
Cable	HDMI



VA Portable monitor
VA1655



VA2209-H/MH

Panel	IPS
Resolution	FHD 1920 x 1080
Response time	4ms
Brightness	250nits
Refresh Rate	75hz
Ergo	Tilt
Other Feature	Adaptive Sync



VA 21.45 inch
VA2209-H/MH

VA24/2732-H/MH/MHD

Panel	3-Side Borderless IPS
Resolution	FHD 1920 x 1080
Response time	GTG 4ms
Brightness	250nits
Refresh Rate	75hz
Other Feature	Adaptive Sync



#model	Connectivity	Special Feature
VA24/2732-h	VGA, HDMI	-
VA24/2732-mh	VGA, HDMI, Speaker	Adaptive Sync
VA24/2732-mhd	VGA, HDMI, DP, Speaker	Adaptive Sync

VA 23.8/27 inch
VA24/2732-H/MH/MHD

VA2409-H/MHU

Panel	IPS
Resolution	FHD 1920 x 1080
Response time	5ms
Brightness	250nits
Ergo	Tilt
Other Feature	Adaptive Sync
VA2409-MHU	Type-C (PD65W)



VA 23.6 inch
VA2409-H/MHU

VA2932-mhd

Panel	IPS
Resolution	WFHD 2560 x 1080
Brightness	250nits
Refresh Rate	75Hz
Other feature	FreeSync, HDR10



VA 29inch 21:9
VA2932-MHD

VA3456-mhdj

Panel	IPS
Resolution	WQHD 3440 x 1440
Brightness	400nits
Refresh Rate	75Hz
Other feature	HDR10, Height-adjustable and swivel stand



VA 29inch 21:9
VA2932-MHD

VA2430-H-W-6

Panel	VA
Resolution	FHD 1920 x 1080
Brightness	250nits
Other feature	White model



VA 23.8inch
VA2430-H-W-6

Entry Segment 22’/24’/27’
(Focus)

VA22/24/2715-h

Panel	SuperClear® VA
Resolution	1920 x 1080
Response time	4ms
Brightness	250nits
Viewing angle	178/178
Cable	HDMI



Frameless Design
Adaptive sync

VA
S
E
R
I
E
S

Entry Segment 27"



VA2715-2K-mhd

Panel	SuperClear® VA
Resolution	2560 x 1440 @75Hz
Response time	5ms
Viewing angle	178/178
Cable	HDMI
HDMI, DP connectivity, Speakers	

Frameless Design



Adaptive sync



VA SERIES

Entry Segment 31.5"

(NEW)

VA3209-MH/2K-MHD

Panel	SuperClear® IPS
Resolution	1920 x 1080 @75Hz
	2560 x 1440 @75 Hz
Connectivity	1A, 1H
	2H, DP



VA
S
E
R
I
E
S

Entry Segment 24" and 27"



VX24/2776-sh	
Panel	Frameless IPS
Resolution	1920 x 1080 @75Hz
Viewing angle	178/178
Cable	HDMI



24" : 8.6mm
27" : 7.2mm



iPhone 11 Pro
8.1mm

Competitor: Acer ED245QA/ AOC 24V2Q
Competitor: AOC 27V2Q/ HP 27M/ Philips 276E8VJSB/ Asus VZ279HE

VX SERIES

Entry Segment 24"



VX24/2781-mh

Panel	Frameless IPS
Resolution	1920 x 1080 @75Hz
Response time	1ms MPRT
Viewing angle	178/178

Competitor: AOC 24G2E5/ Acer VG240Y
Competitor: AOC 27G2E5/ Acer VG270



Freesync

24"/27": 7.9mm



iPhone 11 Pro
8.1mm



VX
SERIES

Entry Segment 24"



VX2480-2K-shd

Panel	SuperClear® IPS
Resolution	2560 x 1440 @75Hz
Response time	4ms
Brightness	250nits
Viewing angle	178/178
Cable	HDMI

Frameless Design & Stylish Slim Panel



VX
SERIES

Entry Segment 32"



VX3276-2K-mhd-2/VX3276-mhd-3

Panel	SuperClear® IPS
Special Feature	HDR10
FHD	VGA, HDMI, DP, Speaker
QHD	HDMI*2, DP, mini DP, Speaker
Fast Response Time	3ms



Adaptive Sync



VX
SERIES

VX2480-shdj



- 23.8" 16:9 FHD 1920 x 1080 @75hz
- SuperClear® IPS
- Frameless Design & Stylish Slim Panel
- Brightness 250nits
- 4ms Response Time
- Viewing Angle 178/178
- VGA, HDMI ,DP connectivity
- Height Adjustable Stand
- HDMI cable in package

VX2780-2K-shdj



- 27" 16:9 QHD 2560 x 1440 @75hz
- SuperClear® IPS
- Frameless Design & Stylish Slim Panel
- Brightness 250nits
- 4ms Response Time
- Viewing Angle 178/178
- HDMI x2 , DP connectivity
- Height Adjustable Stand
- HDMI cable in package


VA3209-mh/VA3209-2K-mhd

Panel	IPS
sync	Adaptive Sync
FHD	1A, 1H, 2.5W*2, Tilt, 75Hz
QHD	2H, DP, 2.5W*2, Tilt, 75Hz
Fast Response Time	5ms



VA
SERIES

GAMING




ViewSonic Gaming Overview

Overview – ViewSonic Gaming

With ViewSonic Gaming we aspire to be a **Leading Gaming Solution provider**; through our combined efforts across both ELITE and OMNI, **we enable all gamers**, whether hardcore, casual, or console, to access the latest technology to advance their gameplay.

ELITE boasts its high-end solutions with top-of-the-line high-tech monitors with sleek, modern design. It's established with a sophisticated, mature **brand image** in the gaming market who truly understands what gamers want/need.

OMNI is composed of a comprehensive lineup of monitors for the mass market at a sweet price point. While ELITE is providing high-end branding value to us, OMNI will be the **main revenue driver**.



Gain brand awareness and reputation within the high-end PC Gaming market



Establish console solutions with PS5 partnership



Gain market share with mass market options

ViewSonic Gaming



ELITE

1. ELITE minimalist design
2. ELITE design enhancements (e.g. headphone hook)
3. RGB lighting
4. ELITE Display Controller compatibility



OMNI

1. Ergonomic features
2. Accessible
3. Minimalist design

ViewSonic Gaming



ELITE

Early Adopters
Enthusiast Gamers



OMNI

Mainstream Gamers
Casual Gamers
People who game as one of their hobby

Enlarge VX144Hz Commodity Gaming

24"					35"	
XG	144Hz	24.5" FHD 360Hz SRGB, G-Sync, HDR400 XG251G	QHD IPS Gsync 165Hz native 1ms XG270QG	QHD 240hz,IPS Gsync HDR400 XG271QG	32" 144hz, Mini LED 4K 3840x2160 IPS Gsync XG321UG	
		24" Fast IPS FreeSync Premium 240Hz XG2431	QHD 144hz 1ms TN with HAS XG2705-2K	QHD Fast IPS 165hz 1ms Gsync compatible XG270Q	32" 4K 144hz 144hz (PS5) Freesync, HDR600, Adobe XG320U	
		144hz, 1ms, IPS flat, Height Adj. XG2405	XG2705	XG270QC	32" 175hz, Quantum Dot, G-Sync compatible, Adobe, QHD XG320Q	
VX	144Hz+	1ms, VA 165hz, Flat VX2418-P	VX2718-P	1ms 240hz 1500R FHD VX2719-PC	QHD 144hz 1ms 1500R VX3268-2KPC	WQHD 144hz, HDR10 VX3418-2KPC
		VX2428/J	1ms, VA 165hz, 1500R QHD VX2718-2KPC	VX2728/J	VX3218C-2K	
		VX2418C	1ms, VA 165hz, 1500R FHD VX2718-PC	VX2728-2K/J	FHD 240hz 1ms 1500R VX3219-PC	4K 144hz, 1ms MPRT, PS5, HDMI 2.1, HDR10 VX2882-4KP
		1ms, 144hz, VA Curved VX2458-C	100hz 1ms MPRT VX2716		FHD 165hz 1ms 1500R VX3218-PC	
		VX2405-P				
		100hz 1ms MPRT VX2416				

VX2718-PC/2KPC-mhd



- 27" FHD & QHD gaming monitor
- 1500R Curvature
- 3-side frameless
- VA wide viewing angel 178/178
- 1ms MPRT 165Hz @DP port
- Adaptive Sync
- 2 x HDMI, 1 DisplayPort,
- 2W Speakers x2
- VESA mount
- DP cable in package

VX24/2718-P-mhd



- 23.8" & 27" FHD Flat Gaming Model
- VA wide viewing angel 178/178
- 3-side frameless
- 1ms MPRT 165Hz
- Adaptive Sync
- 2 x HDMI, 1 DisplayPort, Speakers
- VESA mount
- DP cable in package

VX2418C



- 23.6" FHD Curved Gaming Model
- VA wide viewing angel 178/178
- 1ms MPRT 165Hz
- Adaptive Sync
- 2 x HDMI, 1 DisplayPort, Speakers
- Tilt

VX24/2716



- 23.8"/27"
- 1920X1080 FHD
- 3-side frameless
- 1ms MPRT **100Hz**
- FreeSync
- 1 x HDMI, 1 x DisplayPort, 2 x Speakers

VX3218-PC-mhd



- 31.5" FHD gaming monitor
- 1500R curved screen
- 3-side frameless
- 1ms MPRT 144Hz
- Adaptive Sync
- 2 x HDMI, 1 DisplayPort, Speakers
- VESA mount
- DP cable in package

VX3218C-2K (Omni)



- 31.5" VA Curved QHD gaming monitor
- 1500R curved screen
- 1ms MPRT 165Hz
- FreeSync
- 2 x HDMI, 1 DisplayPort, 2 x Speakers
- Tilt
- DP cable in package

VX27/3219-PC-mhd



- 27" & 31.5" FHD VA panel
- 1500R curved screen
- 1ms MPRT 240Hz @HDMI/DP
- Adaptive Sync
- 2 x HDMI, 1 DisplayPort, Speakers
- VESA mount
- DP cable in package



VX3418-2KPC



- 34" VA curve 1500R
- WQHD 3440 x 1440 21:9
- 1ms MPRT 144Hz
- Adaptive Sync
- 2 x HDMI, 2 DisplayPort, Speakers
- Support HDR10
- Height Adjustable Stand
- DP cable in package

VX2882-4KP



- 28" 4K UHD Flat 144hz Gaming
- Superclear IPS Panel
- 1ms MPRT, FreeSync
- Support PS5 – 4K UHD @120hz
- Support HDR10
- 2 x HDMI 2.1, 2 x DisplayPort,
- 1 x Type C (15W power delivery), Speakers
- VESA mount
- Tilt, Pivot, Swivel, Height Adjustment
- DP cable in package

VX2705-2KP-mhd/VX2758-2KP-mhd (To be EOL)



- 27" QHD IPS gaming monitor
- 3-side frameless
- 1ms MPRT 165hz
- FreeSync
- Support Xbox/PS5 QHD 120hz
- 2 x HDMI, 1 DisplayPort, Speakers
- VESA mount
- HDMI cable in package

XG2405 / XG2705



XG2405: 23.8" (24") FHD

XG2705: 27" FHD

- 3 sides frameless IPS
- 1ms MPRT 144Hz
- FreeSync
- 16:9 Flat FHD 104% sRGB
- 2 x HDMI, 1 DisplayPort, Speakers
- Tilt, Pivot, Swivel, Height adjustment
- HDMI cable in package

XG2705-2K (To Be EOL)



- 27" QHD IPS gaming monitor
- 3-side frameless
- 1ms MPRT 165hz
- FreeSync
- Support Xbox/PS5 QHD 120hz
- 2 x HDMI, 1 DisplayPort, Speakers
- Height Adjustment, pivot, swivel
- VESA mount
- HDMI cable in package

XG2431



- 23.8" 3 sides frameless
- Fast **IPS 1ms GtG 240hz**
- **FreeSync Premium**
- HDR 400
- 2 x HDMI, 1 DisplayPort, USB, Speakers
- Tilt, Pivot, Swivel, Height adjustment
- DP cable in package

➤ **FreeSync Premium:**

Extra Feature comparing to basic Free-sync

- ✓ At least 120hz refresh rate at minimum FHD resolution
- ✓ Support for **low framerate compensation** (LFC)

FreeSync Premium


FreeSync certified guarantee **XG2431** will give gamers the best gaming experience without tearing.

AMD FreeSync™ Premium¹ technology adds to the baseline FreeSync technology tier and equips serious gamers with a fluid, tear-free gameplay experience at peak performance:

- At least 120hz refresh rate at minimum FHD resolution
- Support for low framerate compensation (LFC)
- Low latency

HDR400

- HDR400 provide users stunning experience. The brightest whites and the darkest blacks bring out details like never before



Mouse Anchor


Cable is always annoying; when gamer is focus on game, mouse anchor helps to manage mouse cable.

Gaming | 2021

Elite

Curve series

- XG270QC



Flat series

- XG270
- XG270Q
- XG270QG
- XG271QG
- XG320Q
- XG320U
- XG321UG




ViewSonic Elite Sub-brand

Essence

User centered design

Refined Aesthetics


Straightforward
Communication






ELITE RGB

Create your own gaming atmosphere with both accent and ambient LED desktop lighting. Cycle through multiple modes, or customize your color – create your own gaming scenario or in-room ambience.



HEADPHONE HOOK



Conveniently place gamer's earphones on the headphone hook.

HIGHT ADJUST



120 mm

TILT



5° ~ 20°

PIVOT



90° ~ 90°

SWIVEL



-30° ~ 30°

XG32 Series



XG320Q

- 32-inch with QHD 165Hz
- G-sync Compatible
- Fast IPS
- DisplayHDR600
- Adobe 99%
- 1ms(OD)
- Quantum Dot technology



XG320U

- 32-inch with UHD 144Hz
- AMD FreeSync Premium Pro
- DisplayHDR600
- Adobe 99%
- 1ms(MPRT)
- Single Cable to achieve 144Hz
- HDMI2.1



XG321UG

- 32-inch with UHD 144Hz
- G-sync Ultimate
- Mini LED with Local dimming 1152 zones
- DisplayHDR1000
- Adobe 99%
- 1ms(OD)
- True 10 bits

ELITE XG320Q

Size	Panel Type	Product Drivers								MP
		Front of Screen Performance			Support Color	Tear-Free Tech	Connectivity	Speaker	Ergonomics	
		Max Resolution	Brightness	R/T						
32"	IPS	2560x1440 @165Hz	400nits(ty p) 600nits(pe ak)	1ms(OD)	Adobe 99% DCI P3 98%	G-Sync Compatible	HDMI (2.0)*2, DP (1.4)*1, USB-A 3.1*3 (charging port*1), USB-B 3.1*1, 3.5 Audio out *1	5Wx2	Tilt, Swivel, H/J	Aug'21

• Core Feature

- 3 side borderless
- QHD@165Hz(overclock to 175Hz)
- G-Sync Compatible
- 1ms(OD)
- VESA HDR600
- Quantum Dot technology

• Additional Value

- Flexible Mouse Anchor, Headphone Hook
- Motion Blur Reduction Mode - PureXP™
- Overclocking>165Hz
- SW - Elite Display Controller
- TUV Eye Comfort Certificate



G-SYNC COMPATIBLE CERTIFIED BY NVIDIA




No artifacts, in-game screen tearing or input lag.
NVIDIA tested and officially certified, the
XG320Q delivers a seamless and immersive
gaming experience.



DISPLAYHDR600

HDR (High Dynamic Range) content improves gaming environment realism when gaming on PC, PS4 Pro and Xbox One X. Witness the next evolution in open-world storytelling with HDR in-game detail enhancement.



QUANTUM DOT


The background of the entire image is an abstract composition of vibrant, flowing light trails. These trails, in shades of yellow, blue, and purple, curve and swirl across the frame, creating a sense of dynamic energy and movement. The colors are most intense in the center and right, fading into a dark blue background on the left.

Quantum dot technology provide accurate colors — especially dark reds and greens — that stay crisp and clear even in bright light. In any application from gaming to web browsing or document work, your content comes alive on the screen.

ELITE XG320U

Size	Panel Type	Product Drivers								
		Front of Screen Performance			Support Color	Tear-Free Tech	Connectivity	Speaker	Ergonomics	MP
		Max Resolution	Brightness	R/T						
32"	IPS	3840x2160 @144Hz	400nits(typ) 600nits(peak)	1ms(MPRT)	Adobe 99% DCI P3 98%	AMD FreeSync™ Premium Pro	HDMI (2.1)*2, DP (1.4)*1, USB-A 3.1*3 (charging port*1), USB-B 3.1*1, 3.5 Audio out *1	5Wx2	Tilt, Swivel, H/J	Aug'21

• Core Feature

- 3 side borderless
- UHD@144Hz(overclock to 150Hz)
- AMD FreeSync™ Premium Pro 
- 1ms(MPRT)
- VESA HDR600


• Additional Value

- Single Cable Support 4K@144Hz
- Support HDMI 2.1 Feature (VRR/ALL/SCDS)
- Flexible Mouse Anchor, Headphone Hook
- Motion Blur Reduction Mode - PureXP™
- SW - Elite Display Controller
- TUV Eye Comfort Certificate




AMD FREESYNC™ PREMIUM PRO TECHNOLOGY

There are no compromises. AMD FreeSync™ Premium Pro technology means low latency, wide adaptive refresh rate ranges, low framerate compensation and brilliant pixel quality in gaming.




DISPLAYHDR600

HDR (High Dynamic Range) content improves gaming environment realism when gaming on PC, PS4 Pro and Xbox One X. Witness the next evolution in open-world storytelling with HDR in-game detail enhancement.



CONSOLE G



Single-cable 4K resolution (3840 x 2160) and 144Hz refresh rate, supported by HDMI 2.1, providing every gamer with the top-end technology for console.

XBOX SERIES X

 **PS5™**

PlayStation®5



ELITE XG321UG

Size	Panel Type	Product Drivers								
		Front of Screen Performance			Support Color	Tear-Free Tech	Connectivity	Speaker	Ergonomics	MP
		Max Resolution	Brightness	R/T						
32"	IPS	3840x2160 @144Hz	1080nits(typ) 1400nits(peak)	1ms(MPRT)	Adobe 99% DCI P3 98%	GSync Ultimate	HDMI (2.0)*3, DP (1.4)*1, USB-A 3.1*3 (charging port*1), USB-B 3.1*1, 3.5 Audio out *1	5Wx2	Tilt, Swivel, H/J	Oct'21

• Core Feature

- 3 side borderless
- UHD@144Hz
- GSync Ultimate
- Mini LED with 1152 zones
- 1ms(MPRT)
- VESA HDR1400

• Additional Value

- Flexible Mouse Anchor, Headphone Hook
- SW - Elite Display Controller
- TUV Eye Comfort Certificate
- NVIDIA Reflex
- Color Calibration



G-Sync Ultimate TECHNOLOGY


Features the latest NVIDIA G-SYNC processors to deliver the very best gaming experience, including HDR, over 1000-nits brightness, stunning contrast, cinematic color, and ultra-low latency gameplay.



 NVIDIA.
G-SYNC™

NVIDIA REFLEX

NVIDIA Reflex delivers the ultimate competitive advantage. The lowest latency. The best responsiveness. Powered by GeForce RTX™ 30 Series GPUs and NVIDIA® G-SYNC® monitors. Acquire targets faster, react quicker, and increase aim precision through a revolutionary suite of technologies built to optimize and measure system latency for competitive games.



Game Performance Metrics	
Average FPS	144 FPS
Render Present Latency	1.3ms
Render Latency	1ms
Reflex Monitoring Position	(1072, 596)
Mouse Latency	0.6ms
PC + Display Latency	13.6ms
End-to-End System Latency	14.2ms
Average Mouse Latency	0.5ms
Average PC + Display Latency	13.6ms
Average System Latency	14ms

NVIDIA Reflex Latency Analyzer integrated in G-Sync

USB pass-through with Latency monitoring


Mini LED with 1152 zones

XG321UG incorporates the leading technology of mini LED backlight, which is packed in physically half smaller LEDs than the conventional in more densely to increase the granularity of brightness control. XG321UG offers individual backlight control of a whopping 1,152 zones with higher luminance and deeper darkness to deliver the best contrast and accurate reproduction of HDR contents.



DISPLAYHDR1400

HDR (High Dynamic Range) content improves gaming environment realism when gaming on PC, PS4 Pro and Xbox One X. Witness the next evolution in open-world storytelling with HDR in-game detail enhancement.





XG270Q

Tear-Free Tech

G-Sync Compatible

Panel Type

IPS 1ms MPRT

Resolution

QHD 165Hz

Remark

- RGB IC/RGB light control (Stand Housing)
- USB-A 3.1*3 (Charging port)
- 2 SPK*2W
- Nvidia ULMB
- 3-Side BDL
- TUV certificated (Flicker Free, Blue Light Filter)



XG270

Tear-Free Tech

G-Sync Compatible

Panel Type

IPS 1ms GtG

Resolution

FHD 240Hz

Remark

- RGB IC/RGB light control (Stand Housing)
- USB-A 3.1*3 (Charging port)
- 2 SPK*3W
- Nvidia ULMB
- 3-Side BDL
- TUV certificated (Flicker Free, Blue Light Filter)



XG270QG

Tear-Free Tech

G-Sync

Panel Type

IPS (MPRT <1ms)

Resolution

QHD 165Hz

Remark

- RGB IC/RGB light control (Stand Housing)
- USB-A 3.1*3 (Charging port)
- 2 SPK*2W
- Nvidia ULMB
- 3-Side BDL
- TUV certificated (Flicker Free, Blue Light Filter)

SIGHT SHIELDS



Immerse the player in their
own amazing world free from
distractions.





XG270QC

Tear-Free Tech

FreeSync Premium Pro (Freesync2)

Panel Type

VA(MPRT <1ms)

Resolution

QHD 165Hz

Remark

- Elite RGB lighting
- 1500R curvature
- Flexible Mouse Anchor, Stopper
- PureXP
- Overlocking > 165Hz
- NEW SW Implement-Elite Display Controller

New AMD FreeSync™ Tiers

- AMD announced at its CES 2020 Press Conference that rebranded “AMD Radeon FreeSync™” as below.

	AMD FreeSync	NEW	AMD RADEON FreeSync™ 2
	AMD FreeSync	AMD FreeSync Premium	AMD FreeSync Premium Pro
Refresh Rate at FHD	-	≥ 120Hz	≥ 120Hz
48Hz native optional if LFC	Y	LFC	LFC
Low flicker panel	Y	Y	Y
Low latency	Y	Y	Y
LFC(2.5x)		Y	Y
DCI-P3 90%			Y
HDR 400			Y

XG Model By Technology

- AMD announced at its CES 2020 Press Conference that rebranded “AMD Radeon FreeSync™” as below.

	AMD FreeSync	NEW	AMD RADEON FreeSync™ 2	NVIDIA G-SYNC™
	AMD FreeSync	AMD FreeSync Premium	AMD FreeSync Premium Pro	
XG2405		V		
XG240R		V		
XG270Q		V		G-Sync Compatible
XG270QC			V	
XG2705		V		
XG270QG				V

XG271QG

Nvidia R4 Sku2 Module



IPS Panel /240Hz /QHD /HDR 400 /Nvidia Reflex/
G-Sync

Elite XG271QG

Size	Panel Type	Product Drivers								Stock Ready
		Front of Screen Performance			Support Color	Tear-Free Tech	Connectivity	Speaker	Ergonomics	
		Max Resolution	Brightness	R/T						
27"	IPS	2560x1440 @240Hz	400nits	1ms(OD)	Adobe 99%	G-Sync R4	HDMI (2.0)*2, DP (1.4)*1, USB-A 3.1*2(charging port*1), USB-B 3.1*1, 3.5 Audio out *1	2Wx2	Tilt, Swivel, H/J, Pivot	Aug'21

• Core Feature

- G-Sync
- QHD @240Hz
- 1ms (OD)
- VESA HDR400

• Addition Feature

- Nvidia Reflex
- Color Calibration
- Mouse Anchor

*(depends on testing result)

ViewSonic Confidential



ViewSonic


Nvidia Reflex




NVIDIA Reflex delivers the ultimate competitive advantage. The lowest latency. The best responsiveness. Acquire targets faster, react quicker, and increase aim precision through a revolutionary suite of technologies built to optimize and measure system latency for competitive games.

99% Adobe color coverage

XG271QG provides the best gaming experience without tearing, fast refresh rate and almost perfect color to gamers. 99% Adobe color coverage makes every scenes on the monitor more beautiful than others.



240 Hz



High refresh rate is already a requirement for gaming tournament. 60Hz, 120Hz, 144Hz, 165Hz, etc. it's not enough for gaming competition anymore.

Pro gamers always want the best equipment to help them to get victory.

“Even only one frame, it can be different result”

HDR400

HDR400 provide users stunning experience. The brightest whites and the darkest blacks bring out details like never before



ViewSonic Confidential




G-Sync

G-Sync R4 module, the most powerful design, give XG271QG the greatest gaming experience than ever.



Elite Display Controller

Elite Display Controller now is able to fully control XG271QG.
And there are more **Nvidia** G-Sync model inclusive function will be controlled by Elite Display Controller.



Elite XG251G

Size	Panel Type	Product Drivers								
		Front of Screen Performance			Support Color	Tear-Free Tech	Connectivity	Speaker	Ergonomics	MP
		Max Resolution	Brightness	R/T						
24.5"	IPS	1920x1080 @360Hz	400nits	1ms(OD)	sRGB 99%	G-Sync R4	HDMI (2.0a)*2, DP (1.4)*1, USB-A 3.1*2(charging port*1), USB-B 3.1*1, 3.5 Audio out *1	2Wx2	Tilt, Swivel, H/J, Pivot	Oct'21

• Core Feature

- G-Sync R4 module
- FHD @360Hz
- 1ms (OD)
- VESA HDR400

• Addition Feature


- Nvidia Reflex
- Color Calibration
- Mouse Anchor
- Headset Hook

*(HDR 400 depends on testing result)



Nvidia R4 Module

The most powerful gaming monitor scaler.



Nvidia R4 Module

The most powerful gaming monitor scaler.

Most of the best monitors are made with G-Sync module nowadays. And the latest G-Sync R4 Module is ready and more powerful than ever.

High Refresh Rate and G-Sync with new Nvidia technology – Nvidia Reflex.
Bringing competitive games to the brand-new level.

Tearing, ghosting and latency will be history when XG251G comes out.



B2B – Touch Solution



TD Series


		15.6"				32"
Capacitive Touch	IR Touch	<div>Portable 10-P touch with Type-C charging</div> <div>TD1655</div> <div>TD1630-3</div>	<div>1A, 1H, 1DP, Spk, USB3.0*2</div> <div>TD2230</div>	<div>HDMI, DP, Type C 60W power delivery, DP out for daisy chain 10-point PCT touch, HAS</div> <div>TD2455</div>	<div>TD2760</div>	
		<div>10-Point touch</div> <div>TD2223</div>		<div>10-Point touch</div> <div>TD2423</div>		

Touch Solution Comparison

There is no perfect touch screen technology, need to consider the user's application and environment.

TD series	Technology	Touch Points	Touch Input	Accuracy	Working Environment Application	Cons
TD2210	Resistive	1	Any Input	Okay	<ul style="list-style-type: none"> Robust and Stable. Basic value touch → Machine control/Restaurant/POS/Bank/Kiosk 	<ul style="list-style-type: none"> Weaker light transmittance Not capable of supporting true multi-touch
TD1630-3, TD2230, TD2430, TD2760	Projected Capacitive	Muti-Touch	Finger or conductive Stylus	Excellent	<ul style="list-style-type: none"> Best experience/looking; Similar to smartphones ; Multi-touch → Retail/Kiosk/Interactive POS/Hospitality/leisure/gyms/self-check-in 	<ul style="list-style-type: none"> Not compatible with thick gloved touch Higher cost
TD2220, TD2421	Optical	Muti-Touch	Any Input	Varies	<ul style="list-style-type: none"> Suitable indoor usage; (finger, stylus, glove, etc.) → Basic kiosk, POI, Education & Learning 	<ul style="list-style-type: none"> Touch accuracy is limited avoid dust contamination, Strong light source impact
IFP TD2223, TD2423	IR (infrared)	Muti-Touch	Any Input	Excellent	<ul style="list-style-type: none"> Suitable indoor usage; → Basic kiosk, POI, Education & Learning 	<ul style="list-style-type: none"> Sunlight Impact contamination wide bezel

IR (Infrared) Touch



10 Point Touch

Vertically and horizontally arranged **LED lights and detectors** are in a display frame or the outside of display. Infrared detects the touch position when LED lights are blocked.

Any Touch Input



There are no restrictions on the touch screen. It can be operated with hands, pencils, credit cards, sticks, etc., even when wearing gloves.



Working Environment

Indoor Use

It will be subject to strong infrared interference, such as remote controls, high-temperature objects, sunlight or incandescent lamps and other infrared sources illuminate the infrared receiver.



Application

Office Automation Machine
Video conference system
Electronic whiteboard
Interactive Advertising Player



Pros

The applicable size is quite large, and the response is fast and accurate.

Pros

No interference from current, voltage and static electricity.

Why use IR to replace Optical Imaging Touch

Optical image touch is not sensitive enough in multi-touch, easy to misjudge. The upper edge of the screen is a bit inaccurate, especially in the middle of the screen. Optical image touch is easy to be affected by dust, light and oil.

1. **Better accuracy. Less light interference**
2. **Upgrade from Optical 2 points to IR 10 points**
3. **IR cost between Optical and PCT**

TD2220/TD2421 → TD2223/TD2423

VS Model	TD2220/TD2220-2	TD2223	TD2421	TD2423
Panel Type	TN		VA	
Resolution	FHD		FHD	
Surface Treatment	Glossy, 7H		Glossy, 7H	
Viewing Angle (degree H/V)	170/160(typ)		178/178(typ)	
I/O Function	1A/1DVI Audio Line in/out USB2.0 2Watt Speaker	1A/1DVI/1HDMI Audio Line in/out USB2.0 2Watt Speaker	1A/1DVI/1HDMI Audio Line in/out USB2.0 2Watt Speaker	1A/1DVI/1HDMI Audio Line in/out USB2.0 2Watt Speaker
Touch Technology	2-points Optical Camera	10-points IR	2-points Optical Camera	10-points IR
Ergo	Tilt: -5° ~+20°	Tilt: 20° ~40°	Tilt: -5° ~+20°	Tilt: 20° ~40°
Blue Light Filter Flicker Free	NO	Yes	NO	Yes

TD2223 Spec

TN Panel	Type	21.5 inch, 16:9 Wide
	Touch	10-Points IR with 7H surface hardness, Glossy
	Resolution	1920 x 1080@60Hz
	Brightness	250 with touch panel cover glass
	Contrast	1000:1
	View Angles LR,UD(CR>10)	H/V 170°/160°
Input	VGA	x1
	DVI	x1
	HDMI	x1
USB	USB2.0	UP stream x1 Down stream x2
Audio	2W	x2
Ergo	Tilt	20° ~ 60°
VESA		100x100
Stock Ready		Jan'21



TD2423 Spec

VA Panel	Type	23.6 inch, 16:9 Wide
	Touch	10-Points IR with 7H surface hardness, Glossy
	Resolution	1920 x 1080@60Hz
	Brightness	250 with Touch panel cover glass
	Contrast	3000:1
	View Angles LR,UD(CR>10)	H/V 178°/178°
Input	VGA	x1
	DVI	x1
	HDMI	x1
USB	USB2.0	UP stream x1 Down stream x2
Audio	2W	x2
Ergo	Tilt	20° ~ 40°
VESA		100x100
Stock Ready		Feb'21



Product Design

20 ° inclined



60 ° inclined



Magnet on front bezel – so user can attach their pen on the screen

Stock Ready Now

TD2455 Product Brief

Panel	Type	23.8 inch, IPS, 16:9 Wide
	Touch	In-Cell 10-Points Projected Capacitive with 3H surface hardness, AG treatment
	Resolution	1920 x 1080@60Hz
	Brightness	250 cd/m2 with Touch
	Contrast	1000:1
Input	Display Port 1.2	x1
	HDMI 1.4	x1
	Type-C	X1 (DP 1.2a, USB3.1 Gen1, HDCP 1.4)
Output	Display Port 1.2 Out	x1
Power	AC-In	Internal
USB Hub	USB 3.0 upstream	Type B x1 Type C x1 (PD 2.0 up to 20V/3A)
	USB 3.0 downstream	x2 (type A)
Audio	2W	x2
	Audio Jack out	x1
Ergo	Tilt	-5° ~ +60°
VESA		100 x 100mm



ViewSonic 

TD2455 Concept & Feature

Work from any position



TD2455



Multi-Task Efficiency



Type C
Power Delivery 60W
Daisy Chain with DP or DP alt. mode

AIO with client mount



Interactive




Type C
Power Delivery 60W
Passive Pen
DP to HDMI output



TD2455 Usage Scenarios



Office



Multitask, need to quickly jump between two screens.



Meeting Room

Presentation with handwriting




Education

School Class Room/ Computer Room










Design Studio

DAW /Graphic Design
Architecture/Interior design



TD2455 Competitor Spec Comparison

Brand	Dell P2418HT	Acer UT241Y	iiyama PROLITE T2454MSC	HP E230t 23	Viewsonic TD2455
					
PCT 10 touch points	✓	✓	✓	✓	✓
VGA/HDMI Input	✓	★ HDMI Type C; But no type B port	✓	✓	★ HDMI Type C
Display port Input	✓	✗	✗	✓	✓ Display Port Out, Daisy Chain
Tablet Mode 	✓	✓	✗	✗	✓
Client Mount 	✗	✗	✗	✓	✓
Support MAC OS Multi-touch	✗	✗	✗	✗	3rd party SW



TD1655

Panel	Type	15.6 inch, 16:9 IPS
	Touch	10-Points Projected Capacitive with 7H surface hardness, AF treatment
	Resolution	1920 x 1080@60Hz
	Brightness	250 with Touch
	Contrast	800:1
	View Angles LR,UD(CR>10)	H/V 170°/170°
Input	Mini HDMI 1.4	x1
	Type-C	X1 (DP 1.2a, USB3.1 Gen1, PD, HDCP 1.4)
	Type-C	X1 (DP 1.2a, USB3.1 Gen1, PD, HDCP 1.4)
Audio	0.8W	x2
Ergo	Tilt	0° ~153°
VESA		NA
Package	Cable	Type C, Type C to A, HDMI to mini HDMI



- 2 typeC ports are the same features with full functions to prevent user plugging into the wrong port.
- When display powered with power adapter(60Watt), another typeC port can power delivery to devices.

TD1655 Portable Touch Monitor Scenarios



Business Trips

Longer business trips where work must be accomplished in both a hotel room and the local office




Portable Game

For gaming with Nintendo Switch, PS4 when travel or at home if all the TVs are being used by another people.









Plug and Play/Work

Turn Your Smartphone to PC Mode



TD1655 Competitor Spec Comparison

Brand	 Gechic 1503i	 Eleduino T156D	 JOHNWILL JW-156-TC-TS	 WIMAXIT XL2430 -B	 ASUS MB16AMT	 Viewsonic TD1655
2020 Amazon Price	\$349.99	\$269	\$219.99	\$219	\$331.99	TBD
Projected Capacitive 10 touch points	○	○	○	○	○	○
Input Signal	Mini HDMI Mini VGA	Mini HDMI Type C	Mini HDMI Type C	HDMI	Mini HDMI Type C	Mini HDMI Type C *2 (Full function)
Accessories	Stand and Cover	Protective Cover	Protective Cover	Protective Cover	Protective Cover	Stand & Leather case
Battery Built-In	✗	✗	✗	✗	○	✗ TypeC for Power Bank
Built in Speaker	○	○	○	○	○	○
Cover Glasses	○	✗	✗	✗	✗	○
Weight/Thickness	1.06KG/12mm	2.52KG/9.5mm	0.6KG/9.5mm	1.8KG/11mm	0.9KG/9mm	0.99KG/6mm
Power Adapter	5V/2A	✗	✗	5V/2A	✗	60W PD

Portable Touch Monitor User Scenario

- <https://www.ndapap.org/best-portable-monitors/>
- <https://www.youtube.com/watch?v=ps0Dn5l88Pg>
- <https://www.youtube.com/watch?v=FzAG3LtOx-w>
- <https://www.youtube.com/watch?v=Z9Hj0zWXlr4>
- <https://www.youtube.com/watch?v=6G4eslA8slg>
- <https://www.youtube.com/watch?v=KZJYIBJR4gM>
- <https://www.asus.com/tw/Monitors/ZenScreen-MB16AMT/>
- <https://www.youtube.com/watch?v=uErTd3LL0Kw>
- <https://www.youtube.com/watch?v=IMSPIK-yLc4>

VG Series



VG Series

		15.6"				34+"
Video Conference			<div>VG2456V</div> <div>VG2440V</div>	<div>VG2756V-2K</div> <div>VG2740V</div>		
Docking Monitor			<div>VG2456</div>	<div>VG2756-4K</div> <div>VG2756-2K</div>	<div>VG3456</div>	
USB-C		<div>Type-C portable monitor ▼</div> <div>VG1655</div>	<div>VG2455</div>	<div>VG2755-2K</div> <div>VG2755</div>		
Mainstream			<div>VG24/2748</div> <div>VG2440</div>			


VG24/2748



Advanced Ergonomics Business

- Narrow Bezel IPS
- Free Download “vDisplay Manager” (split screen and monitor settings)
- VGA, HDMI, DisplayPort, USB 3.0x5 ports
- Tilt, Pivot, Swivel, Height adjustment
- Quick Release Stand and Carry Handle
- Green Packing
- DP cable in package

VG2456V / VG2756V-2K



Specification

Brief Spec		VG2456V	VG2756V-2K
Panel		23.8" FHD (1920x1080)	27" QHD (2560x1440)
Connectivity	Input	1H, 1DP, 1USB-C (w/PD 90W), RJ45	
	Audio	Audio out (side)	
USB HUB		USB 3.2 - 1up (rear) + 2down (rear*1, side*1)	
Webcam	Lens	FHD, 2MP	QHD, 5MP
	LED fill light	3 step adjustable for brightness/color temperature	
Speaker		5W *2 front firing (Woven fabric design)	
Ergo Stand	Tilt	-5° ~ 40°	
	Swivel	+/-60°	
	Pivot	+/-90°	
	Height Adjust	110mm	
	Handle	Yes	
Others	Green package	Yes	

Feature Intro - Camera

Webcam with LED fill light



THE AMP LIGHT

Illuminate your confidence



Camera Pop-up design



Camera angle adjustment



Feature Intro – Video Conferencing Experience Enhancement

Advanced Noise Reduction by AI algorithm

Speaker NR



Microphone NR



Feature Intro – Video Conferencing Experience Enhancement

Video Conferencing Hotkey



Feature Intro – Software

- Software Application in **vDisplay Manager**
 - Video Conferencing related
 - LED light adjustment on camera:
 - Control by OSD or vDM
 - Mic NR/Private mode:
 - Control by OSD or vDM

- Camera application
 - QR code scanner(New feature in vDM)



- Document scan
- Headshot

Feature Intro – USB C docking


- **One cable solution for easy connection**
(No need extra USB A-B cable, differ from VG40V)




Feature Intro – Green design easy setup



Webcam Monitor in Market



VC series lined-up



VC Docking



VC Series 2022



34" WQHD Curved



32" QHD



27" QHD / UHD
24" FHD



Mainstream

27" FHD
24" FHD

VG2456V / VG2756V-2K

Brief Spec		VG2456V	VG2756V-2K
Panel		23.8" FHD (1920x1080)	27" QHD (2560x1440)
Connectivity	Input	1H, 1DP, 1USB-C (w/PD 90W), RJ45	
	Audio	Audio out (side)	
USB HUB		USB 3.2 - 1up (rear) + 2down (rear*1, side*1)	
Webcam	Lens	FHD, 2MP	QHD, 5MP
	LED fill light	3 step adjustable for brightness/color temperature	
Speaker		5W *2 front firing (Woven fabric design)	
Ergo Stand	Tilt	-5°~ 40°	
	Swivel	+/-60°	
	Pivot	+/-90°	
	Height Adjust	110mm	
	Handle	Yes	
Others	Green package	Yes	




- Push-push webcam with LED fill light
- Noise Reduction (NR) and private mode

- Front-firing 5W*2 speakers
- Woven fabric design

- VG48 stand

VG2755

Advanced Ergonomics Business Type-C 1 cable Solution



- Frameless IPS
- Free Download "vDisplay Manager" (split screen and monitor settings)
- USB type-C : 60W power charge, data/video/audio transmit
- VGA, HDMI, DisplayPort, USB 3.0x4 ports
- Tilt, Pivot, Swivel, Height adjustment
- Quick Release Stand and Carry Handle
- Green Packing
- USB-C cable in package



VG1655 Spec

Model	Size	Panel Type	Product Drivers			
			Panel	Connectivity	Audio	Stand/base
VG1655	15.6"	IPS	FHD (1920x1080), 60Hz, 250cd/m ² 16.7M colors, 6Bit+FRC	mini HDMI x1, USB-C x2 Earphone audio OUT	0.8W x 2	Tilt

Production key feature

- Blue light filter & Flicker free
- Built-in **tilt adjustable stand** (20°~60°) on back cover
- 2 ports USB-C (Audio / Video / with PD 60w 2-way charging)
- With protective cover
- Support pivot mode
- Pizza box design with green packing
- Package – HDMI to mini HDMI / USB C / USB C to A Cable




VG1655 Competitor Comparison

	ViewSonic VG1655	ASUS MB169B+	ASUS MB169C+	ASUS MB16AC/AC E/ACM	ASUS MB16AP	ASUS MB16AHP	MSI MAG161V	ACER PM161Q	Lenovo M14	HP EliteDisplay S14
Screen Size	15.6"								14"	
Panel Type	FHD, IPS, 250nits	FHD, IPS, 200nits	FHD, IPS, 180nits	FHD, IPS, 220nits	FHD, IPS, 220nits	FHD, IPS, 250nits	FHD, IPS, 180nits	FHD, IPS, 250nits	FHD, IPS, 300nits	FHD, IPS, 200nits
I/O ports	USB C x2, mini HDMI x1	USB 3.0	USB C x1	USB C x1	USB C x1	USB C x1, micro HDMI x1	USB c x2, mini HDMI x1	USB C x1	USB C x2	USB C x1
USB C	Audiovisual & Power	Audiovisual	Audiovisual	Audiovisual	Audiovisual	Audiovisual	Audiovisual	Audiovisual	Audiovisual & Power	Audiovisual
Speaker	0.8W *2	N/A	N/A	N/A	N/A	1W *2	1W *2	N/A	N/A	N/A
Tilt angle	20° ~ 60°	N/A	N/A	N/A	N/A	N/A	N/A	15° ~ 35°	5° ~ 90°	N/A
Battery built-in	N/A (charging by device or adapter) 2 way charging, can charge phone by 2nd type C port	N/A (charging by device)	N/A (charging by device)	N/A (charging by device)	Yes (7800mAh, 4hrs @220nits)	Yes (7800mAh, 4hrs @220nits)	N/A (charging by device or adapter)	N/A (charging by device)	N/A (charging by device or adapter)	N/A (charging by device)
Cable	USB C, USB C to A, mini HDMI to HDMI	USB 3.0 cable	USB C	USB C, USB C to A adaptor (DisplayLink)	USB C, USB C to A adaptor (DisplayLink)	USB C, micro HDMI to HDMI, USB C to A adaptor (DisplayLink)	USB C, USB C to A, mini HDMI to HDMI	USB C, micro USB	USB C	USB C
Adaptor	60W power adaptor	N/A	N/A	N/A	Yes (for display charging only)	Yes (for display charging only)	N/A	N/A	N/A	N/A
Protective Cover	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes



Lightweight and Adjustable Angle



VG Portable Scenario





ViewSonic



Portable Product Range

Touch

TD1655

15.6" Portable Touch Monitor

- Metal case with anti-slip cover
- 2.1 Lbs / 0.94 Kg



Deluxe

VG1655

15.6" Portable Monitor

- Metal case with anti-slip cover
- 1.8 Lbs / 0.82 Kg



Entry

VA1655

15.6" Portable Monitor

- Plastic case
- 1.6 Lbs / 0.71 Kg



Portable Product

Work Anywhere

Play Anywhere

More affordable solution



VA1655 (NEW)



- 15.6" FHD IPS Panel
- HDMI x 1, Type-C x 1 (60W Power)
- Tilt 0/30/53 degrees
- 0.8W Speaker x 1
- Light Weight – 0.71 kg
- No Cover, Plastic Case
- Package: HDMI, Type C Cable, no adapter, Cover Bag





VG24/2740V – Webcam Ergo Monitor




- 23.8" IPS FHD (Ready Now)
- 27" IPS FHD (Ready in July)
- Webcam 2.0 MP pixel @ FHD resolution
- Ergo Stand with 40 degrees advanced tilt
- Green Package
- USB3.0, VGA, DP, HDMI connectivity
- Package: HDMI + USB Cable






Push lever from
front↔back to adjust
camera angle






Control privacy and camera angle (vertical $\pm 5^\circ$)
with a single lever

Slide lever from left↔right
to manually cover/uncover
camera



	VG2440V	Lenovo T24v-10	ASUS BE24DQLB	Dell P2418HZ	Philip 242B1H/01
					
Size	23.8 narrow bezel	23.8 frameless	23.8 narrow bezel	23.8narrow bezel	23.8 frameless
Panel Type	IPS FHD	IPS FHD	IPS FHD	IPS FHD	IPS FHD
I/O Ports	1A/1H/1DP USB3.0 up(1) down(3) Audio In/Out	1A/1H/1DP USB3.0 up(1) down(2) Audio Out	1A/1D/2H/1DP USB3.0 up(1) down(2) Audio In/Out	1A/1H/1DP USB3.0 up(1) down(2) USB2.0 down(2) Audio In/Out	1A/1DP/1DP out/1 TypeC USB3.2 up(1) down(3) Audio In/Out
Ergonomics	Lift: 130mm Tilt: -5~40° Swivel: ±60° Pivot: ±90°	Lift: 110mm Tilt: -5~30° Swivel: ±45° Pivot: ±90°	Lift: 145mm Tilt: -5~35° Swivel: ±45° Pivot: ±90°	Lift: 125mm Tilt: -5~21° Swivel: ±45° Pivot: ±90°	Lift: 150mm Tilt: -5~30° Swivel: ±180° Pivot: ±90°
Speaker	2W x 2	3W x 2	2W x 2	5W x 2	2W x 2
Camera	2.0MP(1920x1080) 5° tilt up and down	2.07MP(1920x1080)	2.07MP(1920x1080) 10° tilt up down, 315° left right	2.07MP(1920x1080)	2.07MP(1920x1080)
Additions	Physical cover	Physical cover	Physical cover	Microsoft Skype & Windows Hello,	Windows Hello webcam, privacy

VA3456-MHDJ Competitor Comparison

	ViewSonic VA3456-MHDJ	Iiyama XUB3493WQSU	Samsung LS34J550WQU
			
Diagonal	34"	34"	34"
Panel	ADS-IPS	ADS-IPS	VA
Native Resolution	3440 x 1440 @75Hz	3440 x 1440 @75Hz	3440 x 1440 @60Hz
Aspect Ratio	21:9	21:9	21:9
Brightness	400 cd/m ² Typical ★	400 cd/m ² Typical	300cd/m ² Typical
Static Contrast	1000:1 Typical	1000:1 Typical	3000:1 Typical
Advanced Contrast	80M:1	80M:1	80M:1
Response Time (GTG)	4ms	4ms	4ms
Viewing Zone	178°/178°	178°/178°	178°/178°
Input	HDMI x2, DP x1	HDMI x2, DP x1, USB3.0 x2	HDMI x2, DP x1
Audio	2W x2	5W x2	N/A
USB hub	N/A	USB3.0 x2	N/A
HDR	HDR10 ★	Yes	N/A
FreeSync	Adaptive Sync	FreeSync	FreeSync
Height Adjust	100mm	130mm	N/A
Swivel	+/- 180° ★	+/- 45°	N/A

21:9 Ultrawide Scenario




***Extended Screen Real Estate
on One Single Screen***



viewsonic Confidential



***Multiscreen Window
In One Display***



***Consistency on One screen
Eliminates fluctuations in color and uniformity***



***Ultrawide + WQHD
Benefits of horizontal extended screen space
In photo / video / software editing***



VG3456





- WQHD 3440 x 1440 resolution @ 75hz
- SuperClear® VA Panel, 21:9 aspect ratio
- FreeSync support
- VG collection – Advanced Tilt 40 degrees
- HDMIx2, DP, Type C, RJ45
- Speakers
- Height-adjustable and swivel stand
- Green Packing
- HDMI, Type C cable in package

VG Docking Solution

What's Docking Station

- A **docking station** is a hardware device that allows portable computers to connect with other devices **with little or no effort**.
- Required
 - Video/Audio Port
 - Ethernet
 - USB Port
 - Power Supply



VG Docking Solution

VG3448


VG3456



DP/mDP



HDMI



USB3.1



USB C



RJ45



VG docking solution

A **Docking
Station
Eliminator**
ViewSonic®

Easy to Setup Design & Environmentally Friendly Packaging

The VG3456 utilises a Quick Release stand design that lets you attach/detach the panel with the push of a button.

It can be assembled entirely by hand in four simple steps:

1. Open the box
2. Screw on the monitor base
3. Clip the stand onto the panel with the Quick Release stand
4. Set it up anywhere – it's ready to go!



1. Open the box



2. Screw on the monitor base



3. Clip the stand onto the panel with the quick release stand



4. Set it up anywhere - it's ready to go!

VP Precise Color



VP76 / 86 Series

ViewSonic® | ColorPro™

VP2776

**MAKE THE WORLD
YOUR SET**

&

VP2786-4K
**BEAUTY IN
THE MUNDANE**


*World's First Professional Monitor With
Fingertip Colour Control*



Wallpaper*

Segment

VP86 Series



VP76 Series



VP76,86 comparison

Specification



Model#	VP2776	VP2786-4K
	Hardware spec	
Resolution	QHD 165Hz	UHD 60Hz
Panel	Nano IPS, HDR 400	IPS, HDR 10
	3 Side borderless	4 Side borderless
Color Gamut	DCI-P3 95%	100% Adobe RGB 98% DCI-P3
Delta E & uniformity	<2	<2
Accessories	Hood & ColorPro Wheel	Hood & ColorPro Wheel
	Certification	
Fogra Cert		●
G7		●
Pantone Validation	●	●
TUV SUD colorblindness	●	●
GSYNC	●	
DISPLAY HDR	●	
	Software support	
Adobe PhotoShop	●	●
Adobe Premiere	●	●
Capture One	●	●



Competitor comparison

Specification

- ColorPro 's Wheel offer Adobe integration
- Only ColorPro work with Pantone on Connect Harmonies system


Model#	ViewSonic 76 /86 Series	BenQ SW270C / SW271C	ASUS PA27UCX-K	EIZO CS2731 / CS2740	Dell UP2720Q	EIZO CG2700S / CG2700X
	Hardware spec					
Type	Accessory	Accessory	Accessory	Accessory	Build in	Build in
Resolution	QHD 165Hz / 4K 60Hz	QHD 60Hz / 4K 60Hz	UHD 60Hz	QHD 60Hz / 4K 60Hz	4K 60Hz	QHD 60Hz / 4K 60Hz
Panel	IPS 3 / 4 Side borderless	IPS 3 Side borderless / Normal	IPS (mini-LED) Normal border	IPS Normal border	IPS 3 Side borderless	IPS Normal border
New OSD UI	Y	N	N	N	N	N
Color Gamut	95% DCI-P3 (VP76) 100% AdobeRGB (VP86)	100% AdobeRGB	100% AdobeRGB	100% AdobeRGB	100% AdobeRGB	100% AdobeRGB
Backstage light	Y	N	N	N	N	N
	Accessory					
HW Calibration	Y	Y	Y	Y	Y	Y
OSD control	Y	Y	N	N	N	N
Hard bundle	Y	Y (OSD) / N (Sensor)	Y	N	Y	Y
Adobe Integration	Y	N	N	N	N	N
	Certification & Award					
IF Award	Y	N	N	N	N	N
Price (Amazon.de)		€ 687 / € 1403 (+ € 242 for Sensor)	€ 2439 (Amazon.uk) (pirce including Sensor)	€ 1039 / € 1449 (+ € 242 for Sensor)	€ 1539	€ 2499 / TBC




Integration overview

Fingertips to effortless control

ColorPro Integrate




ColorPro Sense



New OSD Control



Color Calibration



ColorPro Sense

A Color Picker with Accuracy


Key Selling Points

- Detect color by Wheel with Pantone Color
- Consistent color on screen & color chips
- Digital colors on Pantone Validate monitor
- Color Mix Suggestion(Harmonies)
- Download color samples

Power by
PANTONE Connect



#148, ViewSonic Confidential



ColorPro Integrate



Integrate with Creative software 

USP

- Enable Wheel to control Adobe SW

Step

- Download and Install ColorPro Integrate
- Download supported creative software
- Check the tutorial inside ColorPro Integrate
- Ready to use





Wallpaper* Smart Space Awards: best new design and technology for the home



We unveil the winners of our first-ever Smart Space Awards, a striking selection of the best new technology and design products for the home

f t p in ↗



Wallpaper Smart Space Award: [LINK](#)

ColorPro Award 2021: [LINK](#)




ABOUT COLORPRO AWARD
You took the adventure.
You got the shot.
Now get the reward.

We created the ColorPro Award for the same reason we created the entire ViewSonic ColorPro line itself – to celebrate inspired visual creators around the world. Together, with our set of industry-leading partners, we're celebrating adventure in all its forms as seen through lenses around the world.

Last year we tapped into much-needed global kindness; this year we celebrate a global reawakening and the adventure that comes with it.

ColorPro Talk X Pantone: [LINK](#)



ColorPro Partner of November



Homard Payette @

I am an artist. I create from ideas. I started my career as a photographer, filmmaker with a specialty in movement and dancing. Over time we became a production. We produce images and other forms of art. We work with different artists, from composers, scenographers, choreographer, up to event producers.



A Year of Color Contest: [LINK](#)

VP56 Series

VP56 Competitor comparison

Specification

HIGH POSITION



UP Series

ViewSonic® | ColorPro™
VP68a Series



U Series

BenQ
ViewSonic® | ColorPro™
VP56 Series



P Series

LOW POSITION

High-end Type C

Cost effective Type C

Spec Win

Direct Compete

Series	Dell U Series	VP68a series	VP56 Series
Model	U2722D/DE	VP2768a	VP2756-2K
Resolution	QHD	QHD	QHD
Panel	IPS 4 Side borderless	IPS 4 Side borderless	IPS 3 Side borderless
Color Gamut	100% sRGB	100% sRGB	100% sRGB
I/O	USB C, DP, HDMI, (RJ45)	USB C, DP, HDMI, RJ45	USB C, DP, HDMI
USB-C	90W	90W	60W
Speaker	NA	NA	Yes
Calibration	Hardware Calibration	Hardware Calibration	Factory pre-calibrated
Daisy Chain	Y	Y	N
PIP PBP	Y	Y	N
Delta E	<2	<2	<2
Uniformity	N	Y	N
Pantone Validation	N	Y	Y
TUV SUD colorblindness	N	Y	N

BenQ	ASUS
PD2705Q	PA278CV
QHD	QHD
IPS	IPS
3 Side borderless	3 Side borderless
100% sRGB	100% sRGB
DP, HDMI, USB C	DVI, DP, mini DP, HDMI
65W	65W
NA	NA
Factory pre-calibrated	Factory pre-calibrated
Y	Y
N	N
<3	<2
N	N
Y	N (Calman)
N	N

VP56 Competitor comparison

Specification

HIGH POSITION



UP Series

ViewSonic® | ColorPro™
VP68a Series



U Series



ViewSonic® | ColorPro™
VP56 Series



P Series

LOW POSITION

High-end Type C

Cost effective Type C

Spec Win

Direct Compete

Series	Dell U Series	VP68a series	VP56 Series	ASUS
Model	U2422HE /U2421E	VP2468a	VP2456	PA247CV
Resolution	FHD	FHD	FHD	FHD
Panel	IPS 4 Side borderless	IPS 4 Side borderless	IPS 3 Side borderless	IPS 3 Side borderless
Color Gamut	100% sRGB	100% sRGB	100% sRGB	100% sRGB
I/O	USB C, DP, HDMI, (RJ45)	USB C, DP, HDMI, RJ45	USB C, DP, HDMI	DVI, DP, mini DP, HDMI
USB-C	65W	90W	60W	65W
Speaker	NA	NA	Yes	NA
Calibration	Hardware Calibration	Hardware Calibration	Factory pre-calibrated	Factory pre-calibrated
Daisy Chain	Y	Y	N	Y
PIP PBP	Y	N	N	N
Delta E	<2	<2	<2	<2
Uniformity	N	Y	N	N
Pantone Validation	N	Y	Y	N(Calman)
TUV SUD colorblindness	N	Y	N	N

New ColorPro TA & Position

KSP Overlock VP56 Series Fighting Models

VP2756-2K/VP2756-4K



Precise & Beautiful Color

- 100% sRGB
- Pantone Validate



Efficient & User-Friendly Experience

- 60W Type C (Power charging)
- Color blindness mode
- Auto Pivot
- Speaker

VP3256-4K



Color Performance & Quality

- $\Delta E < 2$ color accuracy (sRGB)
- Color E-Report



Form factor

- QHD,UHD resolution
- 3 side borderless

VP16 Series

Position

1ST Pro. Portable Display For Studio & Outdoor



Studio



Outdoor (Scenario To Be Update)

ColorPro VP16-OLED

Spec & Feature

ViewSonic® | ColorPro™

Size	Panel Type	Product Drivers						
		Front of Screen Performance			Support Color	Connectivity	Speaker	Ergonomics
		Max Resolution	Brightness	R/T				
15.6"	OLED	1920 x 1080 @60Hz	400nits	1ms	100% DCI-P3	Micro HDMI*1,USB Type C*2 3.5mm Mini Phone Jack Audio Out*1 2W SPK*2(output1W)	2W x 2	Tilt angle: 20 degree(up) 60 degree(down)

Colors

- 15.6" OLED Panel with 100% DCI-P3 color coverage
- 1.074M colors with >1M:1 contrast ratio

OLED

- Halo effect free visuals
- Pixel-by-pixel Control Self-emitting
- Deeper black & better power consumption
- Less harmful blue light

Accuracy

- High color accuracy with Delta E < 2
- Support hardware calibration



KSP Overview



Amazing OLED

- 1,074M colors (10B), 10bit color depth
- >1M:1 Contrast ratio
- Halo effect free visual
- Pixel-by-pixel Self-emitting
- Deeper black
- Less harmful blue light



Color Performance

- 100% DCI-P3 color coverage
- Color E-Report
- Delt E < 2 color accuracy
- H/W Color calibration
- Pantone Validate




Cross Media Creation

- Reduce image sticking
- 1ms response time
- MAC Compatible
- Type-C Charging



Design & Experience

- Foldable stand with high adjustment
- Integration hood
- Tripod ready
- Camera ready(Mirco HDMI)



VP16-OLED Key Selling Points

OLED High Contrast

Halo effect free / Self-emitting / 10bit color / 1ms

Dual protection-Hood

Tripod Ready

Height adjustment

DCI-P3 Colors

Camera Ready

Micro HDMI

Additional.

- Upgrade **package** & **Unboxing** experience
- **2 Patent** apply




Versatility




Integrated hood

Protecting cover & Shading hood mode



ColorPro VP16 Portable-Hood



Cover




ColorPro VP16 Portable-Hood



Shading Hood



Competitor Segement Comparsion.



Thank you!